



# IMPRESSIONS

## VELCRO-ENHANCED STRUCTURED ACOUSTICAL WALLCOVERING

---

### SPECIFICATIONS

<b>CONTENT</b> <b>eco-fi®</b> Post-Consumer Recycled Solution Dyed Polyester Staple Fiber	<b>BACKING</b> Fused Poly	<b>WEIGHT</b> 34.6 oz.	<b>WIDTH</b> 74/72" 110/108"	<b>ROLL SIZE</b> 30 yards	<b>FLAMMABILITY</b> Passes UBC 8-2 Class A/ASTM E-84
<b>NRC</b> (ASTM C-423) .25 over gypsum board	<b>MOISTURE REGAIN</b> (ASTM D-2654) .3%	<b>FINISH</b> Stain Guard	<b>COLORFASTNESS</b> (AATCC-16A) Class 5 - 40 hours	<b>ABRASION</b> (ASTM D-4158) Voluntary Prod. TS198 Full Commercial Serviceability	

**Fosshield® Antimicrobial Technology** – silver & copper ions are incorporated into the polyester fiber and naturally attack microbes. Fosshield® inhibits the growth of bacteria, mold and fungus, providing permanent protection. Ions bind to any microbes that may be present on the fiber and disable their critical functions (metabolism, respirations, and reproduction). Typical examples of microbes of common concern are Methicillin-resistant Staphylococcus aureus (MRSA), the Human rhinovirus (common cold), Steptococcus pyogenes (strep), Legionella pneumophilia (Legionaires disease), Human Coronavirus (SARS surrogate), and Feline Calicivirus (Norwalk virus). Fosshield® is the technology incorporated into the FDA cleared SpectraShield® 9500 N95 surgical respirator mask. In the FDA testing, Fosshield® began microbe prevention immediately and eliminated 99.99% of certain odor-causing bacteria after one hour of contact with the respirator surface.

Installation and maintenance instructions are enclosed with every Bedford\* shipment and should be carefully read prior to installation. For best results, it is recommended that a qualified textile wallcovering installer be employed.

